

To: CN=Steve Vandegrift/OU=ADA/O=USEPA/C=US@MSO365[]
Cc: []
Bcc: []
From: CN=Steve Vandegrift/OU=ADA/O=USEPA/C=US
Sent: Wed 5/8/2013 7:01:27 PM
Subject: Fw: Updated tables for Phase III & IV QA review
[Pavillion Phase III data qualifers 111512.docx](#)
[Pavillion Phase IV data qualifers 111612.docx](#)

Steve Vandegrift, QA Manager
Ground Water and Ecosystems Restoration Division
NRMRL/ORD/USEPA
P.O. Box 1198
919 Kerr Research Dr.
Ada, OK 74820
(580)436-8684 (voice)
(580)436-8528 (fax)
vandegrift.steve@epa.gov

----- Forwarded by Steve Vandegrift/ADA/USEPA/US on 05/08/2013 02:01 PM -----

From: Holly Ferguson/CI/USEPA/US
To: Lauren Drees/CI/USEPA/US@EPA
Cc: Steve Vandegrift/ADA/USEPA/US@EPA
Date: 12/20/2012 12:42 PM
Subject: Updated tables for Phase III & IV QA review

I have updated the tables, but I only have one additional comment to send to Rick. On his Phase III spreadsheet for DIC, the Field Blank is reported as a value that is less than the reported MDL. I will send him an email with that comment.

Thank you,
Holly Ferguson, QA Manager
Environmental Technology Assessment, Verification and Outcomes Staff
NRMRL/ORD/USEPA
513-569-7944